CHASSIS	36HQ	40M	40G	44B	44S
Chassis Make	Freightliner Custom Chassis®	Freightliner Custom Chassis®	Freightliner Custom Chassis®	Freightliner Custom Chassis®	Freightliner Custom Chassis®
Chassis Model	XCM	ХСМ	ХСМ	ХСМ	XCM
Platform Name	Freedom Bridge®	Freedom Bridge®	Freedom Bridge®	Freedom Bridge®	Freedom Bridge®
Engine	Cummins® ISL9	Cummins® ISL9	Cummins® ISL9	Cummins® ISL Turbocharged	Cummins® ISI Turbocharged
Horsepower	380	380	380	450	450
Torque	1150	1150	1150	1250	1250
Transmission	Allison® 3000 MH 6-Speed w/ Electronic Shift Control				
Alternator	160 Amp				
Wheel Cut	55°	55°	55°	60°	60°
Front Tires	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H
Rear Tires	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H
Tag Tires	-	-	-	275/80R 22.5H	275/80R 22.5H
Front Brakes	Air Disc w/ABS	Air Disc w/ABS	Air Disc w/ABS	Air Disc w/ABS	Air Disc w/AB
Rear Brakes	Air Drum w/ABS				
Front Suspension	Neway Air	Neway Air	Neway Air	ZF IFS Air	ZF IFS Air
Rear Suspension	V-Ride Air				
Tag Suspension	-	-	-	UltraSteer® B- Series	UltraSteer® B Series
WEIGHTS	36HQ	40M	40G	44B	44S
GCWR (lbs)	46,400	46,400	46,400	58,600	58,600
GVWR (lbs)	36,400	36,400	36,400	43,600	43,600
Front GAWR (lbs)	12,400	12,400	12,400	13,600	13,600
Rear GAWR (lbs)	24,000	24,000	24,000	20,000	20,000
Tag GAWR (lbs)	-	-	-	10,000	10,000
Hitch Rating Weight (Ibs)	10,000	10,000	10,000	15,000	15,000
Tongue Weight (Ibs)	1,000	1,000	1,000	1,500	1,500
DIMENSIONS	36HQ	40M	40G	44B	44S
Wheelbase	276"	263"	276"	309"	309"
Overall Length	36' 9"	40' 1"	41' 4"	44' 0"	44' 0"
Overall Height	12' 10"	12' 10"	12' 10"	12' 10"	12' 10"
Overall Width (Maximum)	102"	102"	102"	102"	102"
Interior Height (Maximum)	84"	84"	84"	84"	84"
Interior Width (Maximum)	96"	96"	96"	96"	96"
Interior Square (Feet)	149	133	168	180	177
Interior Storage (cu. ft.)	149	133	168	180	177
Exterior Storage (cu. ft.)	88	142	157	157	152
Patio Awning Width	18' 0"	18' 0"	18' 0"	18' 0"	18' 0"

©2025 REV Group, Inc. Model Year 2022. 2/2025

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Price materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

dt of Sleedours43244CAPACITIES3640400400400400400Feln Water Capacity (gal)100100100100100100Frein Water Capacity (gal)7575757575Bick Water Capacity (gal)13013313131313CHASSIS COMPONENTS3640400400406448Standalt Eng (FCC)SSSDira End Starting Water Word (Water Capacity (gal)SSSSSDira End Starting Water Word (Water Capacity (gal)SSS	Entry Door Awning Size	4' 0"	4' 0"	4' 0"	4' 0"	4' 0"
Field Capacity (gal) 100 100 100 100 100 Freeh Vatter Capacity (gal) 75	# of Slideouts	4	3	2	4	4
Freeh Water Capacity (gal)105105105105105Grey Vater Capacity (gal)75757575Back Water Capacity (gal)303030Black Water Capacity (gal)31313131CHASSE COMPONENTS30HQ40M40G44B445Sternahle Tag (FOCC UltraSteer)SSDive Schn Sterning Wheel wOptiview Instrument ClusterSSSSSSView Stern ExtensionsSSSSSSSView Stern ExtensionsSSSSSSSCOLSTANCENS SatteriesSSSSSSSPower Assisted SteeringSSSSSSSSFreed Colstant ExtensionSSS <t< td=""><td>CAPACITIES</td><td>36HQ</td><td>40M</td><td>40G</td><td>44B</td><td>44S</td></t<>	CAPACITIES	36HQ	40M	40G	44B	44S
Grey Water Capacht (gal)7575757575Black Water Capacht (gal)505050505050Dell Tank (gal)131313131313Chastig Coll Monethrs344400406444Steenable Tag (FCC UltraSser)SSDive Beht Steening Wheel w/Optivew instrument ClusterSSSSSSValve Steening Chasis BatteriesSSSSSSValve Steening Chasis BatteriesSSSSSSValve Steening Chasis BatteriesSSSSSSFront and Rex Aluminum WheelsSSSSSSSteening Chasis BatteriesSSSSSSSSteening Chasis BatteriesSSSSSSSConstructed SteeningSSSSSSSSteening Chasis BatteriesSSSSSSSConstructed Steening Chasis BatteriesSSSSSSSConstructed Steening Chasis BatteriesSSSSSSSSteening Polytypene Insulated Steening Chasis BatteriesSSSSSSSConstructed Steening Polytypene Insulated Steening Chasis BatteriesSSSSSS	Fuel Capacity (gal)	100	100	100	100	100
Black Water Capacity (gal)5050505050Del: Tank (gal)1313131313CHASSIS COMPONENTS36HQ40M406448445Sterable Tag (FCCC)SSDrive Tech Stering Wheel w/Optiview instrument ClusterSSSSSValve Stern ExtensionsSSSSSSC12 12V Heavy Duty Classis BatteriesSSSSSSDaver Assisted SteringSSSSSSPorer Assisted SteringSSSSSSFront and Rear Aluminum WheelsSSSSSExpende Start (FCC)OOOOOOPuels BatterinsSSSSSSCONSTRUCTION36HQ40M40G448445CSA BuldOOOOOOHigh Darasky Polystyme Insulated Sidewals, RoofSSSSSCysel Edge Coating for all Cellings, Walds and FloorsSSSSSSDysel Edge Coating	Fresh Water Capacity (gal)	105	105	105	105	105
Delf. Tark (gal) 13 13 13 13 13 13 13 CHASIS COMPORENTS 36HQ 40M 40G 44B 445 Stearable Tag (FCCC Ultrasteer) - - - - S	Grey Water Capacity (gal)	75	75	75	75	75
CHASSIS COMPONENTS30HQ40M40G44844SSteerable Tag (FCCC UtrisSteer)SSDrive Tack Steering Wheel w/Optiview Instrument ClusterSSSSSS(FCC)SSSSSSSSValve Steering Wheel w/Optiview Instrument ClusterSSSSSSS(FCC)Utry Heavy Dury Chassis BateriesSSSSSSS(FCC)Dot SSSSSSSSSPower Assisted SteeringSSSSSSSSPower Assisted SteeringSSSSSSSSSPower Assisted SteeringSSS <td>Black Water Capacity (gal)</td> <td>50</td> <td>50</td> <td>50</td> <td>50</td> <td>50</td>	Black Water Capacity (gal)	50	50	50	50	50
Steerable Tag (FCCC Ultrafisteer)SSDrive Tech Steering Wheel w/Optiwew Instrument Cluster (FCC)SSSSSSValve Stem ExtensionsSSSSSSS(FCC)Valve Stem ExtensionsSSSSSS(2) 12V Heavy Duty Chassis BatteriesSSSSSSSTuned SACHS* ShocksSSSSSSSProver Asside SteeringSSSSSSSFront and Rear Aluminum WheelsSSSSSSSPush Button StartSSSSSSSCONSTRUCTION3dHQ400M400C448443CSA BuildOOOOOOOCONSTRUCTION3dHQAdM40C448445CSA BuildOOOOOOOUser Bord Aluminum Framed Constructed Sidewalls, Roof and FloorSSSSSSDryseal Edge Coating for all Cellings, Walls and FloorsSSSSSSSDryseal Edge Coating for all Cellings, Walls and FloorsSSSSSSSDryseal Edge Coating for all Cellings, Walls and FloorsSSSSSSSDryseal Edge Coating for all Cellings, Walls and Floor	Def. Tank (gal)	13	13	13	13	13
Drive Tech Steering Wheel w/Optiview Instrument Cluster (FECC)SSSSValve Steen KutansionsSSSSSS(2) 12V Heavy Duty Chassis BatteriesSSSSSSTamed SACHS* ShocksSSSSSSPover Assisted SteeringSSSSSSPover Assisted SteeringSSSSSPover Assisted SteeringSSSSSCONSTRUCTON2040OOOOOCSA BuildOOOOOSVacu-Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSPover Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSPover Base Entrough Basement Storage w/Composite Floor and Wall ConstructionSSSSSPainted Steel Prame Chasis ConstructionSSSSSSPainted Steel Prame Chasis ConstructionSSSS	CHASSIS COMPONENTS	36HQ	40M	40G	44B	44S
CFCCC)Chr.	Steerable Tag (FCCC UltraSteer)	-	-	-	S	S
C2)12V Heavy Duty Chassis BatteriesSSSSTuned SACHS* ShocksSSSSSPover Assisted SteeringSSSSSPront and Rear Aluminum WheelsSSSSSBreksyne (FCCC)OOOOOPush button StartSSSSSCONSTRUCTION36HQ40M40G44B445CSA BuildOOOOOPlack button StartSSSSCSA BuildOOOOOOUse Line Sticebase SystemsSSSSSubconstructed Sidewalls, Roof and FloorSSSSSDryseal Edge Coating for all Cellings, Walls and FloorsSSSSSSuber Line Sidewalter, Ducted A/C SystemSSSSSSVall Coverage Heavy Duty UndercoatingSSSSSSFull Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSStel Constructed Entror Steer Interlooking Floor, Walls and RoofSSSSSSFull Coverage Heavy Duty Undercoating Floor, Walls and RoofS <t< td=""><td></td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td></t<>		S	S	S	S	S
Tuned SACHS® ShocksSSSSSPower Assisted SteeringSSSSSFrent and Rear Aluminum WheelsSSSSSBrakeSync (FCCC)OOOOOOPush Button StartSSSSSCONSTRUCTION36HQ40M40644B445CSA BuildOOOOOOHigh Density Polystynen Insulated Sidewalls, Roof and FloorSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSSJoyseal Edge Coating for all Cellings, Walls and FloorsSSSSSSSFull Pass Through Basement Storage w/Composite Floor and Wall Constructed A/C SystemSSS <t< td=""><td>Valve Stem Extensions</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td></t<>	Valve Stem Extensions	S	S	S	S	S
Power Assisted SteeringSSSSFront and Rear Aluminum WheelsSSSSSBrakeSync (FCCC)OOOOOPush Button StartSSSSSCONSTRUCTION36HQ40M40G44B444SCSA BuildOOOOOHigh Density Polystyrene Insulated Sidewalls, Roof and FloorSSSSSSSSSSSUscu: Bond Aluminum Franed Constructed Sidewalls, Roof and FloorSSSSVacu: Bond Aluminum Franed Constructed Sidewalls, Roof and FloorSSSSVacu: Bond Aluminum Franed Constructed Sidewalls, Roof and FloorSSSSSDryseal Edge Coating for all Cellings, Walls and FloorsSSSSSSVacu: Bond Aluminum Franed Constructed Sidewalls, Roof and FloorSSSSSSDryseal Edge Coating for all Cellings, Walls and FloorsSSSSSSSVacu: Bond Aluminum Franed Constructed Sidewalls, RoofSSSSSSSPuse Edge Coating for all Cellings, Walls and FloorsSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS <td< td=""><td>(2) 12V Heavy Duty Chassis Batteries</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td></td<>	(2) 12V Heavy Duty Chassis Batteries	S	S	S	S	S
Front and Rear Aluminum WheelsSSSSBrakeSync (FCCC)OOOOOPush Buton StartSSSSCONSTRUCTION36HQ40M40G44B44SCSA BuildOOOOOCSA BuildOOOOOIght Density Polystynene Insulated Sidewalls, Roof and FloorSSSSElectric Sideout SystemsSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, Roof and FloorSSSSDyseal Edge Coating for all Cellings, Walls and FloorsSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSPayseal Edge Coating for all Cellings, Walls and FloorsSSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSSPalned Steel Frame Chassis ConstructionSSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSSteel Constructed Entry Step BoxSSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No	Tuned SACHS® Shocks	S	S	S	S	S
BrakeSync (FCCC)00000Push Button StartSSSSSCONSTRUCTION36HQ40M40G44B443CSA Build00000High Density Polystynen Insulated Sidewalls, Roof and FloorSSSSElectric Sideout SystemsSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSOulet Insulated, Ducted A/C SystemSSSSSSSPalinted Steel Frame Chassis ConstructionSSSSSSSPalinted Steel Frame Chassis ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSFuel Coverage SSSSS	Power Assisted Steering	S	S	S	S	S
Deck Button StartSSSSCONSTRUCTION36HQ40M40G44B44SCSA BuildOOOOOHigh Density Polystyrene Insulated Sidewalls, Roof and FloorSSSSSS Idleout SystemsSSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSSVall ConstructionSSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSFull Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSPainted Steel Frame Chassis ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSSteel Constructed Entry Step BoxSSSSSSVeryAcue Met Model Tank CompartmentsSSSSSSVeryAcue Met Model Tank CompartmentsSSSSSS <tr< td=""><td>Front and Rear Aluminum Wheels</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td></tr<>	Front and Rear Aluminum Wheels	S	S	S	S	S
CONSTRUCTION36HQ40M40G44B44SCSA BuildOOOOOOHigh Density Polystyrene Insulated Sidewalls, Roof and FloorSSSSSSSledeutic Sideout SystemsSSSSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSSWall ConstructionSSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSFull Overage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSSteel Constructed Entry Step BoxSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No WoodSSSSSSStep Step ConstructionSSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No WoodSSSSSSStabastrate)SSSSSSSSPremium Gel Exterior	BrakeSync (FCCC)	0	0	0	0	0
CSA buildOOOOOHigh Density Polystyrene Insulated Sidewalls, Roof and FloorSSSSSElectric Sildeout SystemsSSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, RoofSSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSOuter Insulated, Ducted A/C SystemSSSSSSSFull Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSSteel ConstructionSSSSSSSFeature Heated Frame Chassis ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSEXTERIOR36HQ40M40G44B44EsPatio LightingSSSSSSBasement Pass-Through StorageSSSSSSFiberglass Front Cap AssemblySSSSSSStepglass Wheel Well SkirtsSSS<	Push Button Start	S	S	S	S	S
High Density Polystyrene Insulated Sidewalls, Roof and FloorSSSSElectric Sildeout SystemsSSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, Roof and FloorsSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSPalinted Steel Frame Chassis ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSSubstrate)SSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No WoodSSSSSSSubstrate)SSSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No WoodSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No WoodSSSSSSEXTERIORSSSSSSSSS <tr<t< td=""><td>CONSTRUCTION</td><td>36HQ</td><td>40M</td><td>40G</td><td>44B</td><td>44S</td></tr<t<>	CONSTRUCTION	36HQ	40M	40G	44B	44S
Electric Sildeout SystemsSSSSVacu-Bond Aluminum Framed Constructed Sidewalls, Roof and FloorsSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSSFull Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSSteel Constructed Entry Step BoxSSSSSSSFuel Coverage Heavy Duty UndercoatingSSSSSSSFuel Constructed Entry Step BoxSSSSSSSFuel Constructed Entry Step BoxSSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No WoodSSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No WoodSSSSSSSPatio LightingSSSSSSSSSBasement Pass-Through StorageSSSSSSSSExtErtIORAdabet Mean StorageSSSSSSSExtE	CSA Build	0	0	0	0	0
Vacu-Bond Aluminum Framed Constructed Sidewalls, Roof and FloorsSSSSSDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSSSQuiet Insulated, Ducted A/C SystemSSSSSSSFull Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSSteel Constructed Entry Step Box.SSSSSSSFernium Gel Esterior Vetrosina Fiberglass Skin (No Wood)SSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSPowerlock System Strough StorageSSSSSSSStabling SSSSSSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSSSSSSSSSSSSSSSSSSSSSS <td>High Density Polystyrene Insulated Sidewalls, Roof and Floor</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td>	High Density Polystyrene Insulated Sidewalls, Roof and Floor	S	S	S	S	S
and FloorsInternal PloorsInternal PloorsInternal PloorsDryseal Edge Coating for all Ceilings, Walls and FloorsSSSSQuiet Insulated, Ducted A/C SystemSSSSSFull Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSPainted Steel Frame Chassis ConstructionSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSSteel Constructed Entry Step BoxSSSSSSPremiun Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSSteit LightingSSSSSSSSBasement Pass-Through StorageSSS <td< td=""><td>Electric Slideout Systems</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td></td<>	Electric Slideout Systems	S	S	S	S	S
Value Insulated, Ducted A/C SystemSSSSFull Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSPainted Steel Frame Chassis ConstructionSSSSSSPainted Steel Frame Chassis ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSSteel Constructed Entry Step BoxSSSSSSPreamium Gel Exterior Vetrosina Fiberglass Skin (No Wood)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood)SSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSSEXTERIOR36HQ40M40G44B44SPatio LightingSSSSSSBasement Pass-Through StorageSSSSSSFiberglass Front Cap AssemblySSSSSSStepglass Wheel Well SkirtsSSSSSSCharlow AwningOOOOOOOUid down Awning PackageOOOOOOStide Kwing Aluminum Bus-Style Baggage Doors w/LockingSSSSS<		S	S	S	S	S
Full Pass Through Basement Storage w/Composite Floor and Wall ConstructionSSSSSPainted Steel Frame Chassis ConstructionSSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSHeated Fresh Water and Holding Tank Compartments (w/Aqua Hot Operational)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSEXTERIOR36HQ40M40G44B44SPatio LightingSSSSSBasement Pass-Through StorageSSSSSFiberglass Front Cap AssemblySSSSSFiberglass Wheel Well SkirtsSSSSSStide do Mounted AwningOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSWindow Awning PackageOOOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSS	Dryseal Edge Coating for all Ceilings, Walls and Floors	S	S	S	S	S
Wall ConstructionSSSSPainted Steel Frame Chassis ConstructionSSSSSFull Coverage Heavy Duty UndercoatingSSSSSSSteel Constructed Entry Step BoxSSSSSSHeated Fresh Water and Holding Tank Compartments (w/Aqua Hot Operational)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSSEXTERIOR36HQ40M40G44B44SPatio LightingSSSSSSBasement Pass-Through StorageSSSSSSSFiberglass Wheel Well SkirtsSSSSSSSSideof Mounted AwningOOOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSSSWindow Awning PackageOOOOOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSSSS	Quiet Insulated, Ducted A/C System	S	S	S	S	S
Full Coverage Heavy Duty UndercoatingSSSSSteel Constructed Entry Step BoxSSSSSHeated Fresh Water and Holding Tank Compartments (w/Aqua Hot Operational)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSSSEXTERIOR36HQ40M40G44B44SPatio LightingSSSSSSBasement Pass-Through StorageSSSSSSFiberglass Wheel Well SkirtsSSSSSSStord Mounted AwningOOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSSWindow Awning PackageOOOOOOOSide Swing Aluminum Bus-Style Bagagae Doors w/LockingSSSSSS		S	S	S	S	S
Steel Constructed Entry Step BoxSSSSSHeated Fresh Water and Holding Tank Compartments (w/Aqua Hot Operational)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSPatio LightingSSSSSSSBasement Pass-Through StorageSSSSSSFiberglass Front Cap AssemblySSSSSSEntry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSSSFiberglass Wheel Well SkirtsSSSSSSSItighted Acrylic Grab Handle at Entry DoorSSSSSSSWindow Awning PackageOOOOOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSSSS	Painted Steel Frame Chassis Construction	S	S	S	S	S
Heated Fresh Water and Holding Tank CompartmentsSSSSS(w/Aqua Hot Operational)SSSSSSPremium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)SSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSPatio LightingSSSSSSSBasement Pass-Through StorageSSSSSSFiberglass Front Cap AssemblySSSSSSEntry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSSSFiberglass Wheel Well SkirtsSSSSSSS2nd Roof Mounted AwningOOOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSSSWindow Awning PackageOOOOOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSSSS	Full Coverage Heavy Duty Undercoating	S	S	S	S	S
(w/Aqua Hot Operational)Image: Construction of the second of	Steel Constructed Entry Step Box	S	S	S	S	S
Substrate)Interlocking Floor, Walls and RoofSSSSPowerlock System - Interlocking Floor, Walls and RoofSSSSSSEXTERIOR36HQ40M40G44B44SPatio LightingSSSSSSBasement Pass-Through StorageSSSSSSFiberglass Front Cap AssemblySSSSSSEntry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSSSFiberglass Wheel Well SkirtsSSSSSSS2nd Roof Mounted AwningOOOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSSSWindow Awning PackageOoOOOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSSSS		S	S	S	S	S
EXTERIOR36HQ40M40G44B44SPatio LightingSSSSSSBasement Pass-Through StorageSSSSSSFiberglass Front Cap AssemblySSSSSSEntry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSSSFiberglass Wheel Well SkirtsSSSSSS2nd Roof Mounted AwningOOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSSWindow Awning PackageOOOOOOOStide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSSSS		S	S	S	S	S
Patio LightingSSSSBasement Pass-Through StorageSSSSSFiberglass Front Cap AssemblySSSSSSEntry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSSSFiberglass Wheel Well SkirtsSSSSSSS2nd Roof Mounted AwningOOOOOOOOOSSS <td>Powerlock System - Interlocking Floor, Walls and Roof</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td>	Powerlock System - Interlocking Floor, Walls and Roof	S	S	S	S	S
Basement Pass-Through StorageSSSSFiberglass Front Cap AssemblySSSSSEntry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSSSFiberglass Wheel Well SkirtsSSSSSSS2nd Roof Mounted AwningOOOOOOOOOOOSS<	EXTERIOR					
Fiberglass Front Cap AssemblySSSSEntry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSSFiberglass Wheel Well SkirtsSSSSS2nd Roof Mounted AwningOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSWindow Awning PackageOOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSS	Patio Lighting				S	
Entry Door w/Radiused Upper, Deadbolt and Screen DoorSSSSFiberglass Wheel Well SkirtsSSSSS2nd Roof Mounted AwningOOOOOLighted Acrylic Grab Handle at Entry DoorSSSSSWindow Awning PackageOOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSSS		S	S		S	S
Fiberglass Wheel Well SkirtsSSSS2nd Roof Mounted AwningOOOOLighted Acrylic Grab Handle at Entry DoorSSSSWindow Awning PackageOOOOSide Swing Aluminum Bus-Style Baggage Doors w/LockingSSSS				S	S	
2nd Roof Mounted Awning O O O O Lighted Acrylic Grab Handle at Entry Door S S S S Window Awning Package O O O O Side Swing Aluminum Bus-Style Baggage Doors w/Locking S S S S	Entry Door w/Radiused Upper, Deadbolt and Screen Door	S	S	S	S	S
Lighted Acrylic Grab Handle at Entry Door S S S S Window Awning Package O O O O Side Swing Aluminum Bus-Style Baggage Doors w/Locking S S S S	Fiberglass Wheel Well Skirts	S	S	S	S	S
Window Awning Package O O O O Side Swing Aluminum Bus-Style Baggage Doors w/Locking S S S S	2nd Roof Mounted Awning	0	0	0	0	0
Side Swing Aluminum Bus-Style Baggage Doors w/Locking S S S S	Lighted Acrylic Grab Handle at Entry Door	S	S	S	S	S
	Window Awning Package	0	0	0	0	0
		S	S	S	S	S

©2025 REV Group, Inc. Model Year 2022. 2/2025

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Frice materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV dealer. Frice materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

Winegard In-Motion Satellite	0	0	0	0	0
Porch Light w/Interior Switch	S	S	S	S	S
Molded-Fiberglass One-Piece Roof	S	S	S	S	S
Powered Entrance Awning w/LED Lighting	S	S	S	S	S
7-Way Round Tow Connection	S	S	S	S	S
Undercarriage LED Lights	S	S	S	S	S
Automatic Hydraulic Leveling Jacks	S	S	S	S	S
Front, Side and Rear Clearance and Marker Lighting	S	S	S	S	S
Rear Under Hood Utility Light	S	S	S	S	S
Fiberglass Rear Cap Assembly	S	S	S	S	S
Exterior Freezer	0	0	0	0	0
Full Bay Slide Trays - 2nd Bay Single 90"	-	0	0	0	0
Front and Rear Mud Flaps	S	S	S	S	S
Exterior Service Station - Includes: Water Pump Switch, Exterior Shower, Black Tank Flush, City Water Hookup, Towel Holder and Drainage Valves	S	S	S	S	S
Satellite Delete	0	0	0	0	0
King Universal Stationary Satellite	S	S	S	S	S
Electric Patio Awning w/LED Lighting and Motion Sensor Retract	S	S	S	S	S
Roof Vent Rain Covers	S	S	S	S	S
Oversized Dark Tinted Frameless Windows	S	S	S	S	S
Full Bay 90" Slide Tray	S	S	S	S	S
Automatic Entrance Steps	S	S	S	S	S
4-Color Premier Full Body Paint	S	S	S	S	S
Rear Ladder	S	S	S	S	S
Unidirectional HD On-Air Antenna	S	S	S	S	S
Basement Storage LED Lighting	S	S	S	S	S
Slideout Awning Toppers Above All Slideouts	S	S	S	S	S
Exterior Park Cable and Satellite Hookup	S	S	S	S	S
Front Cap Generator Access	S	S	S	S	S
Full Length Rearguard w/Nameplate	S	S	S	S	S
CAB EXTERIOR	36HQ	40M	40G	44B	44S
Daytime Running Lights	S	S	S	S	S
Fog Lamps	S	S	S	S	S
Tinted Slider Driver Window	S	S	S	S	S
Top Mount Automotive Style Windshield Wiper System	S	S	S	S	S
Lower Front Clear Protective Film	S	S	S	S	S
Front Mount, Remote Power/Heated Mirrors w/Turn Signals and Side Cameras	S	S	S	S	S
Blind Spot Detection	0	0	0	0	0
Automotive One Piece Windshield	S	S	S	S	S
INTERIOR	36HQ	40M	40G	44B	44S
Full Extension Drawer Guides w/Latches	S	S	S	S	S
Power Motion Lounge w/Full Bed	-	-	-	-	S
Floor Heat (Living Area)	S	S	S	S	S
				0	

©2025 REV Group, Inc. Model Year 2022. 2/2025

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Price materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV das esigned its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

FLEETWOOD RV

Stackable Washer and Dryer	S	S	S	-	-
Energy Efficient LED 3" Flush Mount Ceiling Lighting	S	S	S	S	S
Sofa w/Queen Sleeper Bed & Ottoman(s)	-	-	-	S	-
Loveseat w/Storage	S	S	-	-	-
Side-By-Side Washer and Dryer	-	-	-	S	S
Sofa w/Twin Sleeper Bed	S	-	-	-	-
Sofa w/Full Sleeper Bed	-	S	S	-	-
Hardwood Cabinetry	S	S	S	S	S
Interior Soft Touch Vinyl Ceiling	S	S	S	S	S
Floor Heat (Rear)	0	0	0	0	0
Hardwood Ceiling Feature Trim w/Lighting	S	S	S	S	S
Free Standing Dinette w/Credenza	-	S	-	0	S
Power Motion Lounge	0	0	0	0	-
Manual Day/Night Roller Shades	S	S	S	S	S
Porcelain Tile Flooring	S	S	S	S	S
Facing Dinette Booth	-	0	-	0	-
Hidden Hinge Cabinet Doors	S	S	S	S	S
Coordinating Window Treatments	S	S	S	S	S
Electric Fireplace (Living Area)	-	S	S	-	S
120V/USB Receptacles	S	S	S	S	S
U-Shape Dinette	-	_	S	S	0
Sofa w/Storage	-	-	-	S	-
Adapt-table® Dinette	S	-	-	-	_
INTERIOR ENTRY	36HQ	4014	400	44B	44S
	JONG	40M	40G		
Solid Surface Entry Step w/LED Accent Lighting	S	40M S	40G S	S	S
Solid Surface Entry Step w/LED Accent Lighting Power Entry Step Cover					
Power Entry Step Cover	S	S	S	S	S
Power Entry Step Cover Battery Disconnect Switch at Entry Console	S S	S S S	S S	S S S	S S
Power Entry Step Cover	S S S	S S	S S S	S S	S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind	S S S S S	\$ \$ \$ \$	\$ \$ \$ \$	S S S S	S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES	s s s s	S S S S S	S S S S S	S S S S S	S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach)	S S S S S 36HQ	S S S S S 40M	S S S S S 40G	S S S S S 44B	S S S S S 445
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES	S S S S S S 6HQ S	S S S S 40M S	S S S S 40G S	S S S S 44B S	S S S S 44S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries	S S S S S S S S GHQ S S S	S S S S 40M S S S	S S S S 40G S S S	S S S S 44B S S S	S S S S 44S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill	S S S S S S S S S S S S S	S S S S 40M S S S S S	S S S S S 40G S S S S S	S S S S 44B S S S S S	S S S S S 445 S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump	S S S S S 36HQ S S S S S S	S S S S S 40M S S S S S S S	S S S S S 40G S S S S S S S	S S S S 44B S S S S S S S S	S S S S 445 S S S S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump Electric Power Cord Reel	S S S S S S S S S S S S S	S S S S S S S S S S S S S S	S S S S S 40G S S S S S S S S S	S S S S S 44B S S S S S S S S S	S S S S 44S S S S S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump Electric Power Cord Reel Inverter: Single 2000W Pure Sine w/Remote	S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S	S S S S S 44B S S S S S S S S S S S	S S S S S S S S S S S S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump Electric Power Cord Reel Inverter: Single 2000W Pure Sine w/Remote Cable TV/Satellite Hookup	S S S S S S S S S S S S S S S S S S S	S S S S S 40M S S S S S S S S S S S S S S S	S S S S 40G S S S S S S S S S S S S S S S S S	S S S S 44B S S S S S S S S S S S S S S	S S S S 445 S S S S S S S S S S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump Electric Power Cord Reel Inverter: Single 2000W Pure Sine w/Remote Cable TV/Satellite Hookup High Capacity Water Pump	S S S S S 36HQ S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S 40G S S S S S S S S S S S S S S S S S S S	S S S S S 44B S S S S S S S S S S S S S	S S S S 44S S S S S S S S S S S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump Electric Power Cord Reel Inverter: Single 2000W Pure Sine w/Remote Cable TV/Satellite Hookup High Capacity Water Pump Auto Gen Start	S S S S S S S S S S S S S S S S S S S	S S S S 40M S S S S S S S S S S S S S S S S S S S	S S S S S A0G S S S S S S S S S S S S S S S S S S S	S S S S 44B S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Power Entry Step CoverBattery Disconnect Switch at Entry ConsoleEntry Door Manual Roller Shade and BlindMetal Interior Grab HandleELECTRIC AND UTILITIESWater Filtration System (Whole Coach)Batteries: (6) 6V Deep Cycle House BatteriesSafe-T-View Camera SystemAir Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/ChillGrill and Rear Heat PumpElectric Power Cord ReelInverter: Single 2000W Pure Sine w/RemoteCable TV/Satellite HookupHigh Capacity Water PumpAuto Gen StartGenerator: 8000W Onan Quiet Diesel100W Solar Panel	S S S S S 36HQ S S S S S S S S S S S S S S S S S S S	S S S S S 40M S S S S S S S S S S S S S S S S S S S	S S S S 40G S S S S S S S S S S S S S S S S S S S	S S S S 448 S S S S S S S S S S S S S S	S S S S 445 S S S S S S S S S S S S S S
Power Entry Step Cover Battery Disconnect Switch at Entry Console Entry Door Manual Roller Shade and Blind Metal Interior Grab Handle ELECTRIC AND UTILITIES Water Filtration System (Whole Coach) Batteries: (6) 6V Deep Cycle House Batteries Safe-T-View Camera System Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump Electric Power Cord Reel Inverter: Single 2000W Pure Sine w/Remote Cable TV/Satellite Hookup High Capacity Water Pump Auto Gen Start	S S S S S 36HQ S S S S S S S S S S S S S S S S S S S	S S S S 40M S S S S S S S S S S S S S S S S S S S	S S S S 40G S S S S S S S S S S S S S S S S S S S	S S S S 44B S S S S S S S S S S S S S S	S S S S 445 S S S S S S S S S S S S S S

©2025 REV Group, Inc. Model Year 2022. 2/2025

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Price materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

Aqua-Hot 400D	S	S	S	S	S
Electric Water Hose Reel	S	S	S	S	S
Multiplex Wiring System	S	S	S	S	S
Sensored Tank Monitoring through Multiplex	S	S	S	S	S
Transfer Switch w/Surge and Reverse Polarity Protection	S	S	S	S	S
Generator Auto Changeover	S	S	S	S	S
Black Holding Tank San-T-Flush System	S	S	S	S	S
Power Converter: 60 Amp	S	S	S	S	S
Central Vacuum System	S	S	S	S	S
Dual Gravity Water Fill	S	S	S	S	S
Service Panel: 50 Amp, 120 Volt	S	S	S	S	S
KITCHEN	36HQ	40M	40G	44B	44S
Stainless Steel Residential Refrigerator	S	S	S	S	S
Glass Tile Backsplash	-	-	S	-	-
Island Cabinet w/Polished Solid Surface Top, Stainless Steel Farmhouse Sink and Pop-up Receptacle	S	-	-	-	-
Stainless Steel OTR Convection Microwave	S	S	S	S	S
Dishwasher	S	S	S	S	S
2-Burner Induction Cooktop	S	S	S	S	S
Polished Solid Surface Galley Countertop	S	S	S	S	S
Stainless Steel Farmhouse Sink	S	S	S	S	S
Residential Faucet w/Pullout Sprayer	S	S	S	S	S
Adjustable Shelving	S	S	S	S	S
Shadow Box Glass Tile Backsplash w/Window and Shade	S	S	-	S	S
Full Extension Drawer Guides w/Latches	S	S	S	S	S
Waste Basket	S	S	S	S	S
Power Vent	S	S	S	S	S
Polished Solid Surface Sink Covers	S	S	S	S	S
Pantry Storage	S	S	S	S	S
BEDROOM / BUNK	36HQ	40M	40G	44B	44S
Spacious Wardrobe Storage w/Hardwood Doors	S	S	S	S	S
28" x 73" Bunk Beds w/4" Foam Mattress	-	-	S	S	-
Designer Bedspread and Pillows w/Shams	S	S	S	S	S
Solid Surface Bedroom Countertops	S	S	S	S	S
Individual Reading Lights at Bed Overhead	S	S	S	S	S
Remote Generator Start Switch	S	S	S	S	S
Encore Series King Bed	S	S	S	S	S
120V/USB Receptacles at Nightstand(s)	S	S	S	S	S
Headboard	S	S	S	S	S
BATHROOM	36HQ	40M	40G	44B	44S
Tile Backsplash	S	S	S	S	S
Glass Shower Door	S	S	S	S	S
Tile Shower	S	S	S	S	S
Designer Shower Head Assembly	S	S	S	S	S

©2025 REV Group, Inc. Model Year 2022. 2/2025

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Price materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

FLEETWOOD RV

Shower Skylight	S	S	S	S	S
Power Vent(s)	S	S	S	S	S
Residential Faucet(s)	S	S	S	S	S
Towel Ring(s) and Toilet Paper Holder	S	S	S	S	S
Residential Sink(s)	S	s	s	S	S
Accent Lighting	S	s	S	S	S
Polished Solid Surface Countertop(s)	S	S	s	S	S
Porcelain Toilet w/Macerator	S	S	S	S	S
ENTERTAINMENT	36HQ	40M	40G	44B	445
Mid Wall LED TV (Living Area)		0			445
Exterior Entertainment Center w/LED TV and Bluetooth® Soundbar	S	S	S	S	S
LED TV (Living Area)	S	_	S	-	S
Blu-Ray player w/Remote	S	s	s	S	S
Soundbar TV Sound System (Living Area)	S	s	S	S	S
Pop-up LED TV (Living Area)	-	S	-	S	-
LED TV (Bedroom)	S	S	S	S	S
LED TV (Front Overhead)	S	S	S	S	S
CAB INTERIOR	36HQ	40M	40G	44B	44S
Dash Air Conditioning and Heat	S	s	S	S	S
LED Optiview Instrument Panel	S	S	S	S	S
Switch for Power/Heated Mirrors	S	S	S	S	S
Driver and Passenger Overhead Storage Cabinetry	S	S	S	S	S
Driver and Passenger Side Manual Roller Shades and Blinds	S	S	S	S	S
Automatic Leveling Jacks Touchpad Controls	S	S	S	S	S
Front Power Roller Blind	S	S	S	S	S
Electronic Cruise Control	S	S	S	S	S
Passenger Seat w/Reclining Back, Swivel, 6-way Power Controls, Heat and Power Footrest	S	S	S	S	S
Seat Belts - 3 Point Driver and Passenger	S	S	S	S	S
Momentary Battery Booster Switch - Connecting Chassis and House Batteries	S	S	S	S	S
Power Locks w/Key FOB Control	S	S	S	S	S
Windshield Wipers w/Delay	S	S	S	S	S
Radio Switch Main/Auxiliary Power at Dash	S	S	S	S	S
Color Backup Monitor	S	S	S	S	S
12V and USB Accessory Ports	S	S	S	S	S
Electric Alert Horn	S	S	S	S	S
10.2" Stereo w/Touch Screen w/AM/FM/CD/DVD/Bluetooth/Navigation/APP Store/Wi-Fi	S	S	S	S	S
120V AC Outlet at Dash and Passenger Area	S	S	S	S	S
Driver Seat w/Reclining Back, Swivel, 6-way Power Controls, Heat	S	S	S	S	S
Adjustable Suspended Pedals	S	S	S	S	S
Switch for Exterior Service Lights	S	S	S	S	S
Driver Console w/Lower Storage Bin	S	S	S	S	S
Passenger Console	S	S	S	S	S

©2025 REV Group, Inc. Model Year 2022. 2/2025

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Price materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.



Air Suspension Deflation System (w/Tag Dump Switch on 44' Floor Plans)	S	S	S	-	-
Hide-A-Loft™ Power Drop-Down Overhead Bunk w/LED TV	0	0	0	0	0
Sirius/XM Satellite Radio Ready (Requires Subscription)	S	S	S	S	S
Automotive Style Wrap Around Dash	S	S	S	S	S
Keyless Entry w/Remotes	S	S	S	S	S
	36HQ	40M	40G	44B	44S

©2025 REV Group, Inc. Model Year 2022. 2/2025

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Price materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV das esigned its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.