CHASSIS	40M	40P	44B	44LE
Chassis Make	Freightliner Custom Chassis®	Freightliner Custom Chassis®	Freightliner Custom Chassis®	Freightliner Custom Chassis®
Chassis Model	XCM	ХСМ	ХСМ	XCM
Platform Name	Titan Bridge®	Titan Bridge®	Titan Bridge®	Titan Bridge®
Engine	Cummins <sup>®</sup> L9	Cummins <sup>®</sup> L9	Cummins <sup>®</sup> L9	Cummins <sup>®</sup> L9
Horsepower	380	380	450	450
Torque	1,150	1,150	1,250	1,250
Transmission	Allison® 3000 MH 6-Speed w/ Electronic Shift Control	Allison® 3000 MH 6-Speed w/ Electronic Shift Control	Allison® 3000 MH 6-Speed w/ Electronic Shift Control	Allison® 3000 M⊢ 6-Speed w/ Electronic Shift Control
Alternator	160 Amp	160 Amp	160 Amp	160 Amp
Wheel Cut	55°	55°	60°	60°
Front Tires	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H
Rear Tires	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H	275/80R 22.5H
Tag Tires	-	-	275/80R 22.5H	275/80R 22.5H
Front Brakes	Air Disc w/ABS	Air Disc w/ABS	Air Disc w/ABS	Air Disc w/ABS
Rear Brakes	Air Drum w/ABS	Air Drum w/ABS	Air Drum w/ABS	Air Drum w/ABS
Front Suspension	VFS	VFS	ZF IFS Air	ZF IFS Air
Rear Suspension	V-Ride Air	V-Ride Air	V-Ride Air	V-Ride Air
Tag Suspension	-	-	UltraSteer® B- Series	UltraSteer® B- Series
WEIGHTS	40M	40P	44B	44LE
GCWR (lbs)	46,600	46,600	58,600	58,600
GVWR (lbs)	36,600	36,600	43,600	43,600
Front GAWR (lbs)	12,600	12,600	13,600	13,600
Rear GAWR (lbs)	24,000	24,000	20,000	20,000
Tag GAWR (lbs)	-	-	10,000	10,000
Hitch Rating Weight (lbs)	10,000	10,000	15,000	15,000
Tongue Weight (lbs)	1,000	1,000	1,500	1,500
DIMENSIONS	40M	40P	44B	44LE
Wheelbase	263"	276"	309"	309"
Overall Length	40' 1"	40' 1"	44' 0"	44' 0"
Overall Height	12' 10"	12' 10"	12' 10"	12' 10"
Overall Width (Maximum)	102"	102"	102"	102"
Interior Height (Maximum)	84"	84"	84"	84"
Interior Width (Maximum)	96"	96"	96"	96"
Interior Square (Feet)	387	415	438	417
Interior Storage (cu. ft.)	133	161	180	180
Exterior Storage (cu. ft.)	142	153	157	157
Patio Awning Width	18' 0"	18' 0"	18' 0"	18' 0"
Entry Door Awning Size	4' O"	4' O"	4' O"	4' O"
# of Slideouts	3	3	4	4

©2025 REV Group, Inc. Model Year 2025. 2/2025

CAPACITIES

CALACITIES	40101		440	
Fuel Capacity (gal)	100	100	100	100
Fresh Water Capacity (gal)	105	105	105	105
Grey Water Capacity (gal)	75	75	75	75
Black Water Capacity (gal)	50	50	50	50
Def. Tank (gal)	13	13	13	13
CHASSIS COMPONENTS	40M	40P	44B	44LE
Steerable Tag (FCCC UltraSteer)	-	-	S	S
DriveTech Steering Wheel w/Optiview Instrument Cluster (FCCC)	S	S	S	S
Valve Stem Extensions	S	S	S	S
(2) 12V Heavy Duty Chassis Batteries	S	S	S	S
CSA Package - FCCC	0	0	0	0
Tuned SACHS <sup>®</sup> Shocks	S	S	S	S
Power Assisted Steering	S	S	S	S
Front and Rear Aluminum Wheels	S	S	S	S
Tire Pressure Monitoring System	S	S	S	S
BrakeSync (FCCC)	0	0	0	0
Push Button Start	S	S	S	S
CONSTRUCTION	40M	40P	44B	44LE
High Density Polystyrene Insulated Sidewalls, Roof and Floor	S	S	S	S
Electric Slideout Systems	S	S	S	S
Vacu-Bond Aluminum Framed Constructed Sidewalls, Roof and Floors	S	S	S	S
Dryseal Edge Coating for all Ceilings, Walls and Floors	S	S	S	S
Quiet Insulated, Ducted A/C System	S	S	S	S
Full Pass Through Basement Storage w/Composite Floor and Wall Construction	S	S	S	S
Painted Steel Frame Chassis Construction	S	S	S	S
Full Coverage Heavy Duty Undercoating	S	S	S	S
Steel Constructed Entry Step Box	S	S	S	S
Heated Fresh Water and Holding Tank Compartments (w/Aqua Hot Operational)	S	S	S	S
Premium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)	S	S	S	S
Powerlock System - Interlocking Floor, Walls and Roof	S	S	S	S
EXTERIOR	40M	40P	44B	44LE
Patio Lighting	S	S	S	S
Basement Pass-Through Storage	S	S	S	S
Fiberglass Front Cap Assembly	S	S	S	S
Entry Door w/Radiused Upper, Deadbolt and Screen Door	S	S	S	S
Fiberglass Wheel Well Skirts	S	S	S	S
2nd Roof Mounted Awning	0	0	0	0
Lighted Acrylic Grab Handle at Entry Door	S	S	S	

40M

40P

44B

Product Information was as accurate as possible at the time of printing. For Further product information, please visit our website at www.holidayrambler.com or contact your local Holiday Rambler dealer. Price materials, design, and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Holiday Rambler has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the the proper combination of loads (i.e., occupants, equipment,, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.



44LE



Window Auging Deckage	0	0	0	0
Window Awning Package	0	0	0	0
Side Swing Aluminum Bus-Style Baggage Doors w/Locking Handles	S	S	S	S
Winegard In-Motion Satellite	0	0	0	0
Porch Light w/Interior Switch	S	S	S	S
Molded-Fiberglass One-Piece Roof	S	S	S	S
Powered Entrance Awning w/LED Lighting	S	S	S	S
7-Way Round Tow Connection	S	S	S	S
Undercarriage LED Lights	S	S	S	S
Automatic Hydraulic Leveling Jacks	S	S	S	S
Front, Side and Rear Clearance and Marker Lighting	S	S	S	S
Rear Under Hood Utility Light	S	S	S	S
Fiberglass Rear Cap Assembly	S	S	S	S
Exterior Freezer	0	0	0	0
Full Bay Slide Trays - 2nd Bay Single 90"	0	0	0	0
Front and Rear Mud Flaps	S	S	S	S
Luggage Trim SS trim	S	S	S	S
Exterior Service Station - Includes: Water Pump Switch, Exterior Shower, Black Tank Flush, City Water Hookup, Towel Holder and Drainage Valves	S	S	S	S
Satellite Delete	0	0	0	0
King Universal Stationary Satellite	S	S	S	S
Electric Patio Awning w/LED Lighting and Motion Sensor Retract	S	S	S	S
Roof Vent Rain Covers	S	S	S	S
Oversized Dark Tinted Frameless Windows	S	S	S	S
Full Bay 90" Slide Tray	S	S	S	S
Automatic Entrance Steps	S	S	S	S
4-Color Premier Full Body Paint	S	S	S	S
Rear Ladder	S	S	S	S
Unidirectional HD On-Air Antenna	S	S	S	S
Basement Storage LED Lighting	S	S	S	S
Slideout Awning Toppers Above All Slideouts	S	S	S	S
Exterior Park Cable and Satellite Hookup	S	S	S	S
Front Cap Generator Access	S	S	S	S
Full Length Rearguard w/Nameplate	S	S	S	S
CAB EXTERIOR	40M	40P	44B	44LE
Daytime Running Lights	S	S	S	S
Fog Lamps	S	S	S	S
Tinted Slider Driver Window	S	S	S	S
Top Mount Automotive Style Windshield Wiper System	S	S	S	S
Lower Front Clear Protective Film	S	S	S	S
Front Mount, Remote Power/Heated Mirrors w/Turn Signals	S	S	S	S
and Side Cameras				

© 2025 REV Group, Inc. Model Year 2025. 2/2025



Automotive One Piece Windshield	S	S	S	S
INTERIOR	40M	40P	44B	44LE
Full Extension Drawer Guides w/Latches	S	S	S	S
Floor Heat (Living Area)	S	S	S	S
Dual Recliners	-	-	0	-
Stackable Washer and Dryer	S	S	-	S
Energy Efficient LED 3" Flush Mount Ceiling Lighting	S	S	S	S
Sofa w/Queen Sleeper Bed & Ottoman(s)	-	-	S	-
Loveseat w/Storage	S	S	-	S
Side-By-Side Washer and Dryer	-	-	S	-
Sofa w/Full Sleeper Bed	S	S	-	S
Hardwood Cabinetry	S	S	S	S
Interior Soft Touch Vinyl Ceiling	S	S	S	S
Floor Heat (Rear)	0	0	0	0
Hardwood Ceiling Feature Trim w/Lighting	S	S	S	S
Free Standing Dinette w/Credenza	S	S	0	S
Power Motion Lounge	0	0	0	S
Manual Day/Night Roller Shades	S	S	S	S
Porcelain Tile Flooring	S	S	S	S
Facing Dinette Booth	0	-	0	0
Hidden Hinge Cabinet Doors	S	S	S	S
Coordinating Window Treatments	S	S	S	S
Electric Fireplace (Living Area)	S	S	-	-
120V/USB Receptacles	S	S	S	S
U-Shape Dinette	-	-	S	_
Sofa w/Storage	-	-	S	-
	40M	40P	44B	44LE
Solid Surface Entry Step w/LED Accent Lighting	S	S	S	S
Power Entry Step Cover	S	S	S	S
Battery Disconnect Switch at Entry Console	S	S	S	S
Entry Door Manual Roller Shade and Blind	S	S	S	S
Metal Interior Grab Handle	S	S	S	S
ELECTRIC AND UTILITIES	40M	40P	44B	44LE
Water Filtration System (Whole Coach)	S	S	S	S
Batteries: (6) 6V Deep Cycle House Batteries	S	S	S	S
Safe-T-View Camera System	S	S	S	S
Air Conditioners: (3) 15,000 BTU Roof Mount, Ducted w/Chill Grill and Rear Heat Pump	S	S	S	s
Electric Power Cord Reel	S	S	S	S
Inverter: Single 2000W Pure Sine w/Remote	S	S	S	S
Water Accumulation System	S	S	S	S
Cable TV/Satellite Hookup	S	s	S	S
High Capacity Water Pump	s	s	S	S

©2025 REV Group, Inc. Model Year 2025. 2/2025



Auto Gen Start	S	S	S	S
Generator: 8000W Onan Quiet Diesel	S	S	S	S
A/Cs w/Condensation Pump	0	0	0	0
100W Solar Panel	S	S	S	S
Energy Management System (EMS)	S	S	S	S
CO and Smoke Detectors, Fire Extinguisher	S	S	S	S
Neutral Loss Protection	S	S	S	S
Aqua-Hot 400D	S	S	S	S
Electric Water Hose Reel	S	S	S	S
Multiplex Wiring System	S	S	S	S
Sensored Tank Monitoring through Multiplex	S	S	S	S
Transfer Switch w/Surge and Reverse Polarity Protection	S	S	S	S
Generator Auto Changeover	S	S	S	S
Black Holding Tank San-T-Flush System	S	S	S	S
Power Converter: 60 Amp	S	S	S	S
Central Vacuum System	S	S	S	S
Dual Gravity Water Fill	S	S	S	S
Service Panel: 50 Amp, 120 Volt	S	S	S	S
KITCHEN	40M	40P	44B	44LE
Stainless Steel Residential Refrigerator	S	S	S	S
Stainless Steel OTR Convection Microwave	S	S	S	S
Dishwasher	S	S	S	S
2-Burner Induction Cooktop	S	S	S	S
Polished Solid Surface Galley Countertop	S	S	S	S
Stainless Steel Farmhouse Sink	S	S	S	S
Residential Faucet w/Pullout Sprayer	S	S	S	S
Adjustable Shelving	S	S	S	S
Shadow Box Glass Tile Backsplash w/Window and Shade	S	S	S	S
Full Extension Drawer Guides w/Latches	S	S	S	S
Waste Basket	S	S	S	S
Power Vent	S	S	S	S
Polished Solid Surface Sink Covers	S	S	S	S
Pantry Storage	S	S	S	S
BEDROOM / BUNK	40M	40P	44B	44LE
Spacious Wardrobe Storage w/Hardwood Doors	S	S	S	S
28" x 73" Bunk Beds w/4" Foam Mattress	-	-	S	-
Designer Bedspread and Pillows w/Shams	S	S	S	S
Solid Surface Bedroom Countertops	S	S	S	S
Individual Reading Lights at Bed Overhead	S	S	S	S
Remote Generator Start Switch	S	S	S	S
Encore Series King Bed	S	S	S	S
120V/USB Receptacles at Nightstand(s)	S	S	S	S
				5

© 2025 REV Group, Inc. Model Year 2025. 2/2025

BATHROOM	40M	40P	44B	44LE
Tile Backsplash	S	S	S	S
Glass Shower Door	S	S	S	S
Showermiser	S	S	S	S
Tile Shower	S	S	S	S
Designer Shower Head Assembly	S	S	S	S
Medicine Cabinet w/Mirror	S	S	S	S
Shower Skylight	S	S	S	S
Power Vent(s)	S	S	S	S
Residential Faucet(s)	S	S	S	S
Towel Ring(s) and Toilet Paper Holder	S	S	S	S
Residential Sink(s)	S	S	S	S
Accent Lighting	S	S	S	S
Polished Solid Surface Countertop(s)	S	S	S	S
Porcelain Toilet w/Macerator	S	S	S	S
ENTERTAINMENT	40M	40P	44B	44LE
Mid Wall LED TV (Living Area)	0	-	-	-
Exterior Entertainment Center w/LED TV and Bluetooth® Soundbar	S	S	S	S
Soundbar TV Sound System (Living Area)	S	S	S	S
Pop-up LED TV (Living Area)	S	S	S	S
LED TV (Bedroom)	S	S	S	S
LED TV (Front Overhead)	S	S	S	S
CAB INTERIOR	40M	40P	44B	44LE
Dash Air Conditioning and Heat	S	S	S	S
LED Optiview Instrument Panel	S	S	S	S
Switch for Power/Heated Mirrors	S	S	S	S
Driver and Passenger Overhead Storage Cabinetry	S	S	S	S
Driver and Passenger Side Manual Roller Shades and Blinds	S	S	S	S
Automatic Leveling Jacks Touchpad Controls	S	S	S	S
Front Power Roller Blind	S	S	S	S
Electronic Cruise Control	S	S	S	S
Passenger Seat w/Reclining Back, Swivel, 6-way Power Controls, Heat and Power Footrest	S	S	S	S
Seat Belts - 3 Point Driver and Passenger	S	S	S	S
Momentary Battery Booster Switch - Connecting Chassis and House Batteries	S	S	S	S
Power Locks w/Key FOB Control	S	S	S	S
Windshield Wipers w/Delay	S	S	S	S
Extended Stay Bureau	-	0	-	-
Radio Switch Main/Auxiliary Power at Dash	S	S	S	S
Color Backup Monitor	S	S	S	S
12V and USB Accessory Ports	S	S	S	S

©2025 REV Group, Inc. Model Year 2025. 2/2025

	40M	40P	44B	44LE
Keyless Entry w/Remotes	S	S	S	S
Automotive Style Wrap Around Dash	S	S	S	S
Sirius/XM Satellite Radio Ready (Requires Subscription)	S	S	S	S
Hide-A-Loft <sup>™</sup> Power Drop-Down Overhead Bunk w/LED TV	0	0	0	0
Air Suspension Deflation System (w/Tag Dump Switch on 44' Floor Plans)	S	S	-	-
Passenger Console	S	S	S	S
Driver Console w/Lower Storage Bin	S	S	S	S
Switch for Exterior Service Lights	S	S	S	S
Adjustable Suspended Pedals	S	S	S	S
Driver Seat w/Reclining Back, Swivel, 6-way Power Controls, Heat	S	S	S	S
120V AC Outlet at Dash and Passenger Area	S	S	S	S
10.2" Stereo w/Touch Screen w/AM/FM/CD/DVD/Bluetooth/Navigation/APP Store/Wi-Fi	S	S	S	S

©2025 REV Group, Inc. Model Year 2025. 2/2025